

IEC C14 to IEC C15 Power Cable - Heavy Duty, 15A, 100-250V, 14 AWG, 3 ft., Black

MODEL NUMBER: P018-003



Connect network hardware with C15 power connections such as servers to PDUs and UPS systems with C14 type inputs.

Description

Tripp Lite's C14-to-C15 power cords allow connection from high voltage network hardware utilizing C15 type connectors to PDU's and UPS systems with C14 type inputs. Heavy-duty 14AWG wire supports voltages up to 250V. Molded ends ensure a lifetime of use.

Features

- Heavy-duty power cord supports up to 250V
- Flexible 14AWG wire for easy routing
- Use with Cisco, HP and other hardware that uses C15 type power connections
- UL Listed

Specifications

OVERVIEW		
UPC Code	037332168436	
Country/Region	North America	
Power Cord Application	PC; Monitor; Server; PDU; UPS	
INPUT		
Maximum Input Amps	15	
Cable Length (ft.)	3	

Highlights

- 3-ft. heavy-duty power cord, C14-to-C15
- 100~250V, 15A, 14AWG, SJT
- UL Listed

Package Includes

• 3-ft. C14 to C15 Power Cord





Cable Length (m)	0.9	
Voltage Compatibility (VAC)	100-250	
PHYSICAL		
Power Cord Jacket Type	SJT	
Wire Gauge (AWG)	14	
Wire Gauge (OD - mm²)	2.08	
Shipping Dimensions (hwd / in.)	0.200 x 4.800 x 5.600	
Shipping Dimensions (hwd / cm)	0.51 x 12.19 x 14.22	
Shipping Weight (lbs.)	0.4000	
Shipping Weight (kg)	0.18	
Color	Black	
Number of Conductors	3	
CONNECTIONS		
Side A - Connector 1	IEC-320-C14	
Side B - Connector 1	IEC-320-C15	
WARRANTY		
Product Warranty Period (Worldwide)	Lifetime limited warranty	

© 2018 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: https://www.tripplite.com/products/product-certification-agencies