

NOTES, UNLESS OTHERWISE SPECIFIED:

TOOL TO BE USED WITH CT-8250HP HYDRAULIC PUMP AND CT-900LPHPH HYDRAULIC HOSE.

TOOL OUTPUT: 9 TONS / 8.2 METRIC TONS (@ 7,500 PSI)

TOOL WEIGHT: 10.5 LBS. / 4.8 KG

TOOL DIMENSIONS: 12.75 X 4.875 X 3 (IN)

324 X 124 X 76 (MM)

APPLICABLE PANDUIT CONNECTOR RANGE: #8 AWG - 250MCM COPPER

WHERE APPLICABLE, CONNECTIONS MADE WITH *PANDUIT* COMPRESSION CONNECTORS ARE U.L. LISTED AND C.S.A. CERTIFIED.

TOOL TO BE USED WITH *PANDUIT* CD-920 SERIES DIES (SOLD SEPERATELY)

* DO NOT USE ON LIVE ELECTRICAL CIRCUITS *

* DO NOT OPERATE TOOL WITHOUT DIES IN PLACE *



CT-930LPCH IN CARRYING CASE (INCLUDED WITH TOOL)

										PANDUIT CORP. TINLEY PARK, ILLINOIS CD * CT930LPCH				
											RWISE SPECIFIED, FOLERANCES ARE:	UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE GIVEN IN INCHES, THIRD ANGLE PROJECTION.		
										(.x) ± (.xx) ±	(.XXX) ± ANGLES ±			
										DRAWN BY: BLR	MATL:	SCALE NONE		
00	1-23-02	BLR	MSH	RELEASED	4007		LAH			DATE: 1-23-02	SEE NOTES	DRAWING NO.	DWG	
REV	DATE	BY	CHK'D	DESCRIPTION	ECN	- R	CUST	SUP		CHK'D: MSH		TP24558C01	SIZE	